	Actual %	Project	ed % Acces	ss Lines
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Acc to Clr Ch Transmission, BSE, Clr Chan Cap (1.544 Mbps)	100%	100%	100%	100%
Alternate Routing, BSE, Alt Traffic Routing	100%	100%	100%	100%
Automatic Call back, CNS, Call Cue*	97%	97%	97%	97%
Automatic Cliback (ISDN), CNS, Auto Callback on Busy	71%	76%	77%	76%
Automatic Protect Switching, BSE, Automatic Loop Transfer	100%	100%	100%	100%
Automatic Recall, CNS, Call Return*	97%	97%	97%	97%
Bridging, BSE, Bridging	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Cond'ing On Swtchd Lines	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Answer Supv'n Trunk Side	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, DID W/fast Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Rev Chrg On LMS Clls	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trk-side Acc W/4wire Int	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trunk Side Access	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	97%	97%	97%	97%
C2 TypA - X.25 Pkt Sw, BSA, Pkt X.25 Int'face Proto	97%	97%	97%	97%
C2 TypA - X.25 Pkt Sw, BSA, Stat Mux At CO	97%	97%	97%	97%
C2 TypA - X.25 Pkt Sw, BSA, Virtual Dial Tone	97%	97%	97%	97%
C2 TypB - X.75 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	97%	97%	97%	97%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Sw X.75 Int'face Proto	97%	97%	97%	97%
C2 TypB - X.75 Pkt Sw, BSA, Stat Mux At CO	97%	97%	97%	97%
C2 TypB - X.75 Pkt Sw, BSA, Virtual Dial Tone	97%	97%	97%	97%
C3 TypC - Ded Voice Grd, BSA, Inband Signaling	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Term Sets & Inband Sgling	100%	100%	100%	100%
C3 TypE - Ded Video, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, DDS - Dgtl Private Lines	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Transmission Rates	100%	100%	100%	100%
C3 TypH - Ded > 1.544Mbps, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
Call Det Recd'g Rpts Pkt, BSA, Reports	97%	97%	97%	97%
Call Detail Recrd'g Rpts, AN, Recording Service	97%	97%	97%	97%
Call Redirection Packet, BSE, Packet Call Redirection	97%	97%	97%	97%
Call Waiting Cancel, CNS, Call Waiting Cancel	100%	100%	100%	100%
CF Mult Sim Call Intersw, CNS, Simul Call Fwding	100%	100%	100%	100%
CF Var Remote Act/Cntrol, CNS, Remte Act Cll Fwding Var	97%	97%	97%	97%
CF Variable, CNS, Call Fwding	100%	100%	100%	100%
CFBL Interswitch, CNS, Call Fwding Busy Line	97%	97%	97%	97%
CFBL Intraswitch, CNS, Call Fwding Busy Line	97%	97%	97%	97%
CFDA Interswitch, CNS, Call Fwding Don't Ans	97%	97%	97%	97%
CFDA Intraswitch, CNS, Call Fwding Don't Ans	97%	97%	97%	97%
CFDA W/Var Ring Counts, CNS, CFDA W/Var Ring Counts	97%	97%	97%	97%
Clld DN Deliv via 900NXX, BSA, Sw Acc FG D	97%	97%	97%	97%
Clig Blig Num Deliv FG D, BSE, Automatic Number Ident	100%	100%	100%	100%
Clig DN Deliv via ICLID, CNS, Caller ID	100%	100%	100%	100%
Closed User Groups Pkt, BSE, Ristricted User Group	100%	100%	100%	100%
Coin Phone PT Dlg DTMF Cap, CNS, Post Dling Cap (Public)	97%	97%	97%	97%

	Actual %	Project	ss Lines	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Conditioning, BSE, Conditioning	100%	100%	100%	100%
Cust Originated Trace, CNS, Call Trace*	100%	100%	100%	100%
Data Over Voice (DOV), BSA, DovLink*	97%	97%	97%	97%
Direct Call Packet, CNS, Packet Direct Call	97%	97%	97%	97%
Dist Ring Term Screen, CNS, Personalized Ring*	100%	100%	100%	100%
Distinctive Ringing, CNS, Priority Call*	97%	97%	97%	97%
Dist'tive R'ging (ISDN), CNS, Priority Calling	71%	76%	77%	76%
Extendec Superframe Cond, BSE, Extended Superframe Form	100%	100%	100%	100%
Fast Select Accept Pkt, BSE, Fast Select	97%	97%	97%	97%
Fast Select Request Pack, BSE, Fast Select	97%	97%	97%	97%
Flexible ANI, BSE, Flex ANI	100%	100%	100%	100%
Hot Line, CNS, Hot Line	97%	97%	97%	97%
Hunt Groups Packet, BSE, Packet Hunt Groups	97%	97%	97%	97%
Make Busy Key, BSE, Remote Make Busy	67%	73%	73%	72%
Make Busy Key, BSE, Remote Mk Busy - Trk Side	67%	73%	73%	72%
Menu Server, B/C, Menu Server	97%	97%	97%	97%
MLHG Access to Each Port, BSE, Nonhunting Nmbr Arrange	100%	100%	100%	100%
MLHG CO Announcements, BSE, Recorded Announcements	97%	97%	97%	97%
MLHG UCD Line Hunting, BSE, Unif Call Dist Arrange	67%	73%	73%	72%
MLHG UCD With Queing, BSE, Queing	67%	73%	73%	72%
Multiline Hunt Group, BSE, Multiline Hunt Group	100%	100%	100%	100%
Multiplexing-Digital, BSE, Multiplexing	100%	100%	100%	100%
MWI - Packet Access, BSE, Customer Alerting	97%	97%	97%	97%
MWI ATR Audible Msg Wtg, CNS, Cust Airting Enablement	97%	97%	97%	97%
Network Reconfiguration, BSE, Network Reconfiguration	100%	100%	100%	100%
Preselect for Data Svcs, CNS, RPOA Preselection	97%	97%	97%	97%
Reverse Chg Accept Pkt, BSE, Reverse Chrg Acceptance	97%	97%	97%	97%
Route Diversity, BSE, Diversity	100%	100%	100%	100%
Secondary Ch Capability, BSE, Secondary Ch Capability	100%	100%	100%	100%
Selective Call Forward'g, CNS, Selective Call Fwding	97%	97%	97%	97%
Selective Call Rejection, CNS, Call Blocker*	97%	97%	97%	97%
Speed Calling, CNS, Speed Calling	97%	97%	97%	97%
Third Numb Bill Inhib, CNS, Billed Number Screening	97%	97%	97%	97%
Warm Line, CNS, Warm Line	30%	25%	24%	25%

	Actual %	Project	Projected % Acces		
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02	
Acc to Clr Ch Transmission, BSE, Clr Chan Cap (1.544 Mbps)	100%	100%	100%	100%	
Alternate Routing, BSE, Alt Traffic Routing	100%	100%	100%	100%	
Automatic Call back, CNS, Call Cue*	100%	100%	100%	100%	
Automatic Cliback (ISDN), CNS, Auto Caliback on Busy	96%	89%	89%	89%	
Automatic Protect Switching, BSE, Automatic Loop Transfer	100%	100%	100%	100%	
Automatic Recall, CNS, Call Return*	100%	100%	100%	100%	
Bridging, BSE, Bridging	100%	100%	100%	100%	
C1 TypA - Ckt Sw Line, BSA, Cond'ing On Swtchd Lines	100%	100%	100%	100%	
C1 TypA - Ckt Sw Line, BSA, Directionality	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, Answer Supv'n Trunk Side	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, DID W/fast Signaling	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, Directionality	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, Rev Chrg On LMS Clls	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, Signaling	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, Trk-side Acc W/4wire Int	100%	100%	100%	100%	
C1 TypB - Ckt Sw Trunk, BSA, Trunk Side Access	100%	100%	100%	100%	
C2 TypA - X.25 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%	
C2 TypA - X.25 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%	
C2 TypA - X.25 Pkt Sw, BSA, Pkt X.25 Int'face Proto	100%	100%	100%	100%	
C2 TypA - X.25 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%	
C2 TypA - X.25 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%	
C2 TypB - X.75 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%	
C2 TypB - X.75 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%	
C2 TypB - X.75 Pkt Sw, BSA, Pkt Sw X.75 Int'face Proto	100%	100%	100%	100%	
C2 TypB - X.75 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%	
C2 TypB - X.75 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%	
C3 TypC - Ded Voice Grd, BSA, Inband Signaling	100%	100%	100%	100%	
C3 TypC - Ded Voice Grd, BSA, Term Sets & Inband Sgling	100%	100%	100%	100%	
C3 TypE - Ded Video, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%	
C3 TypF - Ded < 64kbps, BSA, DDS - Dgtl Private Lines	100%	100%	100%	100%	
C3 TypF - Ded < 64kbps, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%	
C3 TypF - Ded < 64kbps, BSA, Transmission Rates	100%	100%	100%	100%	
C3 TypH - Ded > 1.544Mbps, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%	
Call Det Recd'g Rpts Pkt, BSA, Reports	100%	100%	100%	100%	
Call Detail Recrd'g Rpts, AN, Recording Service	100%	100%	100%	100%	
Call Redirection Packet, BSE, Packet Call Redirection	100%	100%	100%	100%	
Call Waiting Cancel, CNS, Call Waiting Cancel	100%	100%	100%	100%	
CF Mult Sim Call Intersw, CNS, Simul Call Fwding	100%	100%	100%	100%	
CF Var Remote Act/Cntrol, CNS, Remte Act Cll Fwding Var	100%	100%	100%	100%	
CF Variable, CNS, Call Fwding	100%	100%	100%	100%	
CFBL Interswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%	
CFBL Intraswitch, CNS, Call Fwding Busy Line CFBL Intraswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%	
CFDA Interswitch, CNS, Call Fwding Busy Line CFDA Interswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%	
CFDA Intraswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%	
CFDA W/Var Ring Counts, CNS, CFDA W/Var Ring Counts	100%	100%	100%	100%	
Clid DN Deliv via 900NXX, BSA, Sw Acc FG D	100%	100%	100%	100%	
Clig Blig Num Deliv FG D, BSE, Automatic Number Ident	100%	100%	100%	100%	
Clig DN Deliv via ICLID, CNS, Caller ID	100%	100%	100%	100%	
Closed User Groups Pkt, BSE, Ristricted User Group	100%	100%	100%	100%	
Coin Phone PT Dlg DTMF Cap, CNS, Post Dling Cap (Public)	100%	100%	100%	100%	

	Actual %	Project	ss Lines	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Conditioning, BSE, Conditioning	100%	100%	100%	100%
Cust Originated Trace, CNS, Call Trace*	100%	100%	100%	100%
Data Over Voice (DOV), BSA, DovLink*	100%	100%	100%	100%
Direct Call Packet, CNS, Packet Direct Call	100%	100%	100%	100%
Dist Ring Term Screen, CNS, Personalized Ring*	100%	100%	100%	100%
Distinctive Ringing, CNS, Priority Call*	100%	100%	100%	100%
Dist'tive R'ging (ISDN), CNS, Priority Calling	96%	89%	89%	89%
Extendec Superframe Cond, BSE, Extended Superframe Form	100%	100%	100%	100%
Fast Select Accept Pkt, BSE, Fast Select	100%	100%	100%	100%
Fast Select Request Pack, BSE, Fast Select	100%	100%	100%	100%
Flexible ANI, BSE, Flex ANI	100%	100%	100%	100%
Hot Line, CNS, Hot Line	100%	100%	100%	100%
Hunt Groups Packet, BSE, Packet Hunt Groups	100%	100%	100%	100%
Make Busy Key, BSE, Remote Make Busy	90%	91%	90%	90%
Make Busy Key, BSE, Remote Mk Busy - Trk Side	90%	91%	90%	90%
Menu Server, B/C, Menu Server	100%	100%	100%	100%
MLHG Access to Each Port, BSE, Nonhunting Nmbr Arrange	100%	100%	100%	100%
MLHG CO Announcements, BSE, Recorded Announcements	100%	100%	100%	100%
MLHG UCD Line Hunting, BSE, Unif Call Dist Arrange	90%	91%	90%	90%
MLHG UCD With Queing, BSE, Queing	90%	91%	90%	90%
Multiline Hunt Group, BSE, Multiline Hunt Group	100%	100%	100%	100%
Multiplexing-Digital, BSE, Multiplexing	100%	100%	100%	100%
MWI - Packet Access, BSE, Customer Alerting	100%	100%	100%	100%
MWI ATR Audible Msg Wtg, CNS, Cust Airting Enablement	100%	100%	100%	100%
Network Reconfiguration, BSE, Network Reconfiguration	100%	100%	100%	100%
Preselect for Data Svcs, CNS, RPOA Preselection	100%	100%	100%	100%
Reverse Chg Accept Pkt, BSE, Reverse Chrg Acceptance	100%	100%	100%	100%
Route Diversity, BSE, Diversity	100%	100%	100%	100%
Secondary Ch Capability, BSE, Secondary Ch Capability	100%	100%	100%	100%
Selective Call Forward'g, CNS, Selective Call Fwding	100%	100%	100%	100%
Selective Call Rejection, CNS, Call Blocker*	100%	100%	100%	100%
Speed Calling, CNS, Speed Calling	100%	100%	100%	100%
Third Numb Bill Inhib, CNS, Billed Number Screening	100%	100%	100%	100%
Warm Line, CNS, Warm Line	10%	9%	10%	10%

	Actual %	Project	ed % Acces	s Lines
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Acc to Clr Ch Transmission, BSE, Clr Chan Cap (1.544 Mbps)	100%	100%	100%	100%
Alternate Routing, BSE, Alt Traffic Routing	100%	100%	100%	100%
Automatic Call back, CNS, Call Cue*	100%	100%	100%	100%
Automatic Cliback (ISDN), CNS, Auto Caliback on Busy	36%	36%	37%	37%
Automatic Protect Switching, BSE, Automatic Loop Transfer	100%	100%	100%	100%
Automatic Recall, CNS, Call Return*	100%	100%	100%	100%
Bridging, BSE, Bridging	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Cond'ing On Swtchd Lines	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Answer Supv'n Trunk Side	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, DID W/fast Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Rev Chrg On LMS Clls	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trk-side Acc W/4wire Int	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trunk Side Access	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt X.25 Int face Proto	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Sw X.75 Int'face Proto	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Inband Signaling	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Term Sets & Inband Sgling	100%	100%	100%	100%
C3 TypE - Ded Video, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, DDS - Dgtl Private Lines	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Transmission Rates	100%	100%	100%	100%
C3 TypH - Ded > 1.544Mbps, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
Call Det Recd'g Rpts Pkt, BSA, Reports	100%	100%	100%	100%
Call Detail Recrd'g Rpts, AN, Recording Service	100%	100%	100%	100%
Call Redirection Packet, BSE, Packet Call Redirection	100%	100%	100%	100%
Call Waiting Cancel, CNS, Call Waiting Cancel	100%	100%	100%	100%
CF Mult Sim Call Intersw, CNS, Simul Call Fwding	100%	100%	100%	100%
CF Var Remote Act/Cntrol, CNS, Remte Act Cll Fwding Var	100%	100%	100%	100%
CF Variable, CNS, Call Fwding	100%	100%	100%	100%
CFBL Interswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%
CFBL Intraswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%
CFDA Interswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%
CFDA Intraswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%
CFDA W/Var Ring Counts, CNS, CFDA W/Var Ring Counts	100%	100%	100%	100%
Clld DN Deliv via 900NXX, BSA, Sw Acc FG D	100%	100%	100%	100%
Cllg Bllg Num Deliv FG D, BSE, Automatic Number Ident	100%	100%	100%	100%
Clig DN Deliv via ICLID, CNS, Caller ID	100%	100%	100%	100%
Closed User Groups Pkt, BSE, Ristricted User Group	100%	100%	100%	100%
Coin Phone PT Dlg DTMF Cap, CNS, Post Dling Cap (Public)	100%	100%	100%	100%

	Actual %	Project	ss Lines	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Conditioning, BSE, Conditioning	100%	100%	100%	100%
Cust Originated Trace, CNS, Call Trace*	100%	100%	100%	100%
Data Over Voice (DOV), BSA, DovLink*	100%	100%	100%	100%
Direct Call Packet, CNS, Packet Direct Call	100%	100%	100%	100%
Dist Ring Term Screen, CNS, Personalized Ring*	100%	100%	100%	100%
Distinctive Ringing, CNS, Priority Call*	100%	100%	100%	100%
Dist'tive R'ging (ISDN), CNS, Priority Calling	36%	36%	37%	37%
Extendec Superframe Cond, BSE, Extended Superframe Form	100%	100%	100%	100%
Fast Select Accept Pkt, BSE, Fast Select	100%	100%	100%	100%
Fast Select Request Pack, BSE, Fast Select	100%	100%	100%	100%
Flexible ANI, BSE, Flex ANI	100%	100%	100%	100%
Hot Line, CNS, Hot Line	100%	100%	100%	100%
Hunt Groups Packet, BSE, Packet Hunt Groups	100%	100%	100%	100%
Make Busy Key, BSE, Remote Make Busy	35%	35%	35%	35%
Make Busy Key, BSE, Remote Mk Busy - Trk Side	35%	35%	35%	35%
Menu Server, B/C, Menu Server	100%	100%	100%	100%
MLHG Access to Each Port, BSE, Nonhunting Nmbr Arrange	100%	100%	100%	100%
MLHG CO Announcements, BSE, Recorded Announcements	100%	100%	100%	100%
MLHG UCD Line Hunting, BSE, Unif Call Dist Arrange	35%	35%	35%	35%
MLHG UCD With Queing, BSE, Queing	35%	35%	35%	35%
Multiline Hunt Group, BSE, Multiline Hunt Group	100%	100%	100%	100%
Multiplexing-Digital, BSE, Multiplexing	100%	100%	100%	100%
MWI - Packet Access, BSE, Customer Alerting	100%	100%	100%	100%
MWI ATR Audible Msg Wtg, CNS, Cust Airting Enablement	100%	100%	100%	100%
Network Reconfiguration, BSE, Network Reconfiguration	100%	100%	100%	100%
Preselect for Data Svcs, CNS, RPOA Preselection	100%	100%	100%	100%
Reverse Chg Accept Pkt, BSE, Reverse Chrg Acceptance	100%	100%	100%	100%
Route Diversity, BSE, Diversity	100%	100%	100%	100%
Secondary Ch Capability, BSE, Secondary Ch Capability	100%	100%	100%	100%
Selective Call Forward'g, CNS, Selective Call Fwding	100%	100%	100%	100%
Selective Call Rejection, CNS, Call Blocker*	100%	100%	100%	100%
Speed Calling, CNS, Speed Calling	100%	100%	100%	100%
Third Numb Bill Inhib, CNS, Billed Number Screening	100%	100%	100%	100%
Warm Line, CNS, Warm Line	65%	65%	65%	65%

	Actual %	Project	ed % Acces	s Lines
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Acc to Clr Ch Transmission, BSE, Clr Chan Cap (1.544 Mbps)	100%	100%	100%	100%
Alternate Routing, BSE, Alt Traffic Routing	100%	100%	100%	100%
Automatic Call back, CNS, Call Cue*	100%	100%	100%	100%
Automatic Cliback (ISDN), CNS, Auto Callback on Busy	83%	75%	74%	74%
Automatic Protect Switching, BSE, Automatic Loop Transfer	100%	100%	100%	100%
Automatic Recall, CNS, Call Return*	100%	100%	100%	100%
Bridging, BSE, Bridging	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Cond'ing On Swtchd Lines	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Answer Supv'n Trunk Side	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, DID W/fast Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Rev Chrg On LMS Clls	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trk-side Acc W/4wire Int	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trunk Side Access	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt X.25 Int'face Proto	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Sw X.75 Int'face Proto	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Inband Signaling	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Term Sets & Inband Sgling	100%	100%	100%	100%
C3 TypE - Ded Video, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, DDS - Dgtl Private Lines	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Transmission Rates	100%	100%	100%	100%
C3 TypH - Ded > 1.544Mbps, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
Call Det Recd'g Rpts Pkt, BSA, Reports	100%	100%	100%	100%
Call Detail Recrd'g Rpts, AN, Recording Service	100%	100%	100%	100%
Call Redirection Packet, BSE, Packet Call Redirection	100%	100%	100%	100%
Call Waiting Cancel, CNS, Call Waiting Cancel	100%	100%	100%	100%
CF Mult Sim Call Intersw, CNS, Simul Call Fwding	100%	100%	100%	100%
CF Var Remote Act/Cntrol, CNS, Remte Act Cll Fwding Var	100%	100%	100%	100%
CF Variable, CNS, Call Fwding	100%	100%	100%	100%
CFBL Interswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%
CFBL Intraswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%
CFDA Interswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%
CFDA Intraswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%
CFDA W/Var Ring Counts, CNS, CFDA W/Var Ring Counts	100%	100%	100%	100%
Clld DN Deliv via 900NXX, BSA, Sw Acc FG D	100%	100%	100%	100%
Clig Blig Num Deliv FG D, BSE, Automatic Number Ident	100%	100%	100%	100%
Clig DN Deliv via ICLID, CNS, Caller ID	100%	100%	100%	100%
Closed User Groups Pkt, BSE, Ristricted User Group	100%	100%	100%	100%
Coin Phone PT Dlg DTMF Cap, CNS, Post Dling Cap (Public)	100%	100%	100%	100%

	Actual %	Project	ss Lines	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Conditioning, BSE, Conditioning	100%	100%	100%	100%
Cust Originated Trace, CNS, Call Trace*	100%	100%	100%	100%
Data Over Voice (DOV), BSA, DovLink*	100%	100%	100%	100%
Direct Call Packet, CNS, Packet Direct Call	100%	100%	100%	100%
Dist Ring Term Screen, CNS, Personalized Ring*	100%	100%	100%	100%
Distinctive Ringing, CNS, Priority Call*	100%	100%	100%	100%
Dist'tive R'ging (ISDN), CNS, Priority Calling	83%	75%	74%	74%
Extendec Superframe Cond, BSE, Extended Superframe Form	100%	100%	100%	100%
Fast Select Accept Pkt, BSE, Fast Select	100%	100%	100%	100%
Fast Select Request Pack, BSE, Fast Select	100%	100%	100%	100%
Flexible ANI, BSE, Flex ANI	100%	100%	100%	100%
Hot Line, CNS, Hot Line	100%	100%	100%	100%
Hunt Groups Packet, BSE, Packet Hunt Groups	100%	100%	100%	100%
Make Busy Key, BSE, Remote Make Busy	79%	71%	70%	70%
Make Busy Key, BSE, Remote Mk Busy - Trk Side	79%	71%	70%	70%
Menu Server, B/C, Menu Server	100%	100%	100%	100%
MLHG Access to Each Port, BSE, Nonhunting Nmbr Arrange	100%	100%	100%	100%
MLHG CO Announcements, BSE, Recorded Announcements	100%	100%	100%	100%
MLHG UCD Line Hunting, BSE, Unif Call Dist Arrange	79%	71%	70%	70%
MLHG UCD With Queing, BSE, Queing	79%	71%	70%	70%
Multiline Hunt Group, BSE, Multiline Hunt Group	100%	100%	100%	100%
Multiplexing-Digital, BSE, Multiplexing	100%	100%	100%	100%
MWI - Packet Access, BSE, Customer Alerting	100%	100%	100%	100%
MWI ATR Audible Msg Wtg, CNS, Cust Airting Enablement	100%	100%	100%	100%
Network Reconfiguration, BSE, Network Reconfiguration	100%	100%	100%	100%
Preselect for Data Svcs, CNS, RPOA Preselection	100%	100%	100%	100%
Reverse Chg Accept Pkt, BSE, Reverse Chrg Acceptance	100%	100%	100%	100%
Route Diversity, BSE, Diversity	100%	100%	100%	100%
Secondary Ch Capability, BSE, Secondary Ch Capability	100%	100%	100%	100%
Selective Call Forward'g, CNS, Selective Call Fwding	100%	100%	100%	100%
Selective Call Rejection, CNS, Call Blocker*	100%	100%	100%	100%
Speed Calling, CNS, Speed Calling	100%	100%	100%	100%
Third Numb Bill Inhib, CNS, Billed Number Screening	100%	100%	100%	100%
Warm Line, CNS, Warm Line	21%	29%	29%	29%

	Actual %	Project	ed % Acce	ss Lines
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Acc to Clr Ch Transmission, BSE, Clr Chan Cap (1.544 Mbps)	100%	100%	100%	100%
Alternate Routing, BSE, Alt Traffic Routing	100%	100%	100%	100%
Automatic Call back, CNS, Call Cue*	100%	100%	100%	100%
Automatic Cliback (ISDN), CNS, Auto Caliback on Busy	66%	68%	67%	67%
Automatic Protect Switching, BSE, Automatic Loop Transfer	100%	100%	100%	100%
Automatic Recall, CNS, Call Return*	100%	100%	100%	100%
Bridging, BSE, Bridging	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Cond'ing On Swtchd Lines	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Answer Supv'n Trunk Side	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, DID W/fast Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Rev Chrg On LMS Clls	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trk-side Acc W/4wire Int	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trunk Side Access	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt X.25 Int face Proto	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Sw X.75 Int'face Proto	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Stat Mux At CO	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Virtual Dial Tone	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Inband Signaling	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Term Sets & Inband Sgling	100%	100%	100%	100%
C3 TypE - Ded Video, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, DDS - Dgtl Private Lines	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Transmission Rates	100%	100%	100%	100%
C3 TypH - Ded > 1.544Mbps, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
Call Det Recd'g Rpts Pkt, BSA, Reports	100%	100%	100%	100%
Call Detail Recrd'g Rpts, AN, Recording Service	100%	100%	100%	100%
Call Redirection Packet, BSE, Packet Call Redirection	100%	100%	100%	100%
Call Waiting Cancel, CNS, Call Waiting Cancel	100%	100%	100%	100%
CF Mult Sim Call Intersw, CNS, Simul Call Fwding	100%	100%	100%	100%
CF Var Remote Act/Cntrol, CNS, Remte Act Cll Fwding Var	100%	100%	100%	100%
CF Variable, CNS, Call Fwding	100%	100%	100%	100%
CFBL Interswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%
CFBL Intraswitch, CNS, Call Fwding Busy Line	100%	100%	100%	100%
CFDA Interswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%
CFDA Intraswitch, CNS, Call Fwding Don't Ans	100%	100%	100%	100%
CFDA W/Var Ring Counts, CNS, CFDA W/Var Ring Counts	100%	100%	100%	100%
Clid DN Deliv via 900NXX, BSA, Sw Acc FG D	100%	100%	100%	100%
Clig Blig Num Deliv FG D, BSE, Automatic Number Ident	100%	100%	100%	100%
Clig DN Deliv via ICLID, CNS, Caller ID	100%	100%	100%	100%
Closed User Groups Pkt, BSE, Ristricted User Group	100%	100%	100%	100%
Coin Phone PT Dlg DTMF Cap, CNS, Post Dling Cap (Public)	100%	100%	100%	
Contraduct Toly Ditwir Cap, Civo, rost Dilling Cap (Public)	100%	100%	10070	100%

	Actual %	Project	ss Lines	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Conditioning, BSE, Conditioning	100%	100%	100%	100%
Cust Originated Trace, CNS, Call Trace*	100%	100%	100%	100%
Data Over Voice (DOV), BSA, DovLink*	100%	100%	100%	100%
Direct Call Packet, CNS, Packet Direct Call	100%	100%	100%	100%
Dist Ring Term Screen, CNS, Personalized Ring*	100%	100%	100%	100%
Distinctive Ringing, CNS, Priority Call*	100%	100%	100%	100%
Dist'tive R'ging (ISDN), CNS, Priority Calling	66%	68%	67%	67%
Extendec Superframe Cond, BSE, Extended Superframe Form	100%	100%	100%	100%
Fast Select Accept Pkt, BSE, Fast Select	100%	100%	100%	100%
Fast Select Request Pack, BSE, Fast Select	100%	100%	100%	100%
Flexible ANI, BSE, Flex ANI	100%	100%	100%	100%
Hot Line, CNS, Hot Line	100%	100%	100%	100%
Hunt Groups Packet, BSE, Packet Hunt Groups	100%	100%	100%	100%
Make Busy Key, BSE, Remote Make Busy	34%	36%	36%	36%
Make Busy Key, BSE, Remote Mk Busy - Trk Side	34%	36%	36%	36%
Menu Server, B/C, Menu Server	100%	100%	100%	100%
MLHG Access to Each Port, BSE, Nonhunting Nmbr Arrange	100%	100%	100%	100%
MLHG CO Announcements, BSE, Recorded Announcements	100%	100%	100%	100%
MLHG UCD Line Hunting, BSE, Unif Call Dist Arrange	34%	36%	36%	36%
MLHG UCD With Queing, BSE, Queing	34%	36%	36%	36%
Multiline Hunt Group, BSE, Multiline Hunt Group	100%	100%	100%	100%
Multiplexing-Digital, BSE, Multiplexing	100%	100%	100%	100%
MWI - Packet Access, BSE, Customer Alerting	100%	100%	100%	100%
MWI ATR Audible Msg Wtg, CNS, Cust Airting Enablement	100%	100%	100%	100%
Network Reconfiguration, BSE, Network Reconfiguration	100%	100%	100%	100%
Preselect for Data Svcs, CNS, RPOA Preselection	100%	100%	100%	100%
Reverse Chg Accept Pkt, BSE, Reverse Chrg Acceptance	100%	100%	100%	100%
Route Diversity, BSE, Diversity	100%	100%	100%	100%
Secondary Ch Capability, BSE, Secondary Ch Capability	100%	100%	100%	100%
Selective Call Forward'g, CNS, Selective Call Fwding	100%	100%	100%	100%
Selective Call Rejection, CNS, Call Blocker*	100%	100%	100%	100%
Speed Calling, CNS, Speed Calling	100%	100%	100%	100%
Third Numb Bill Inhib, CNS, Billed Number Screening	100%	100%	100%	100%
Warm Line, CNS, Warm Line	66%	64%	64%	64%

	Actual %	Project	Projected % Acces	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Acc to Clr Ch Transmission, BSE, Clr Chan Cap (1.544 Mbps)	100%	100%	100%	100%
Alternate Routing, BSE, Alt Traffic Routing	100%	100%	100%	100%
Automatic Call back, CNS, Call Cue*	94%	94%	94%	94%
Automatic Cliback (ISDN), CNS, Auto Callback on Busy	52%	52%	51%	51%
Automatic Protect Switching, BSE, Automatic Loop Transfer	100%	100%	100%	100%
Automatic Recall, CNS, Call Return*	94%	94%	94%	94%
Bridging, BSE, Bridging	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Cond'ing On Swtchd Lines	100%	100%	100%	100%
C1 TypA - Ckt Sw Line, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Answer Supv'n Trunk Side	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, DID W/fast Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Directionality	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Rev Chrg On LMS Clls	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Signaling	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trk-side Acc W/4wire Int	100%	100%	100%	100%
C1 TypB - Ckt Sw Trunk, BSA, Trunk Side Access	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypA - X.25 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	52%	58%	57%	56%
C2 TypA - X.25 Pkt Sw, BSA, Pkt X.25 Int'face Proto	52%	58%	57%	56%
C2 TypA - X.25 Pkt Sw, BSA, Stat Mux At CO	52%	58%	57%	56%
C2 TypA - X.25 Pkt Sw, BSA, Virtual Dial Tone	52%	58%	57%	56%
C2 TypB - X.75 Pkt Sw, BSA, Error Detect'n/Correct'n	100%	100%	100%	100%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Ntwk Acc of Mul DNICS	52%	58%	57%	56%
C2 TypB - X.75 Pkt Sw, BSA, Pkt Sw X.75 Int'face Proto	52%	58%	57%	56%
C2 TypB - X.75 Pkt Sw, BSA, Stat Mux At CO	52%	58%	57%	56%
C2 TypB - X.75 Pkt Sw, BSA, Virtual Dial Tone	52%	58%	57%	56%
C3 TypC - Ded Voice Grd, BSA, Inband Signaling	100%	100%	100%	100%
C3 TypC - Ded Voice Grd, BSA, Term Sets & Inband Sgling	100%	100%	100%	100%
C3 TypE - Ded Video, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, DDS - Dgtl Private Lines	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Error Detect'n/Correctin	100%	100%	100%	100%
C3 TypF - Ded < 64kbps, BSA, Transmission Rates	100%	100%	100%	100%
C3 TypH - Ded > 1.544Mbps, BSA, B'db'd Lk Fr Video Trans	100%	100%	100%	100%
Call Det Recd'g Rpts Pkt, BSA, Reports	52%	58%	57%	56%
Call Detail Recrd'g Rpts, AN, Recording Service	52%	58%	57%	56%
Call Redirection Packet, BSE, Packet Call Redirection	52%	58%	57%	56%
Call Waiting Cancel, CNS, Call Waiting Cancel	100%	100%	100%	100%
CF Mult Sim Call Intersw, CNS, Simul Call Fwding	100%	100%	100%	100%
CF Var Remote Act/Cntrol, CNS, Remte Act Cll Fwding Var	94%	94%	94%	94%
CF Variable, CNS, Call Fwding	100%	100%	100%	100%
CFBL Interswitch, CNS, Call Fwding Busy Line	94%	94%	94%	94%
CFBL Intraswitch, CNS, Call Fwding Busy Line	94%	94%	94%	94%
CFDA Interswitch, CNS, Call Fwding Don't Ans	94%	94%	94%	94%
CFDA Intraswitch, CNS, Call Fwding Don't Ans	94%	94%	94%	94%
CFDA Milaswitch, CNS, Call Fwuling Don't Alls CFDA W/Var Ring Counts, CNS, CFDA W/Var Ring Counts	94%	94%	94%	94%
Clid DN Deliv via 900NXX, BSA, Sw Acc FG D	94%	94%	94%	94%
	100%	100%	100%	100%
Clig Blig Num Deliv FG D, BSE, Automatic Number Ident				
Clig DN Deliv via ICLID, CNS, Caller ID	100%	100%	100%	100%
Closed User Groups Pkt, BSE, Ristricted User Group	100%	100%	100%	100%
Coin Phone PT Dlg DTMF Cap, CNS, Post Dling Cap (Public)	52%	58%	57%	56%

	Actual %	Project	ss Lines	
GENERIC/REGIONAL NAME OF ONA SERVICES	Dec-99	Dec-00	Dec-01	Dec-02
Conditioning, BSE, Conditioning	100%	100%	100%	100%
Cust Originated Trace, CNS, Call Trace*	100%	100%	100%	100%
Data Over Voice (DOV), BSA, DovLink*	94%	94%	94%	94%
Direct Call Packet, CNS, Packet Direct Call	52%	58%	57%	56%
Dist Ring Term Screen, CNS, Personalized Ring*	100%	100%	100%	100%
Distinctive Ringing, CNS, Priority Call*	94%	94%	94%	94%
Dist'tive R'ging (ISDN), CNS, Priority Calling	52%	52%	51%	51%
Extendec Superframe Cond, BSE, Extended Superframe Form	100%	100%	100%	100%
Fast Select Accept Pkt, BSE, Fast Select	52%	58%	57%	56%
Fast Select Request Pack, BSE, Fast Select	52%	58%	57%	56%
Flexible ANI, BSE, Flex ANI	100%	100%	100%	100%
Hot Line, CNS, Hot Line	94%	94%	94%	94%
Hunt Groups Packet, BSE, Packet Hunt Groups	52%	58%	57%	56%
Make Busy Key, BSE, Remote Make Busy	50%	50%	51%	50%
Make Busy Key, BSE, Remote Mk Busy - Trk Side	50%	50%	51%	50%
Menu Server, B/C, Menu Server	52%	58%	57%	56%
MLHG Access to Each Port, BSE, Nonhunting Nmbr Arrange	100%	100%	100%	100%
MLHG CO Announcements, BSE, Recorded Announcements	94%	94%	94%	94%
MLHG UCD Line Hunting, BSE, Unif Call Dist Arrange	50%	50%	51%	50%
MLHG UCD With Queing, BSE, Queing	50%	50%	51%	50%
Multiline Hunt Group, BSE, Multiline Hunt Group	100%	100%	100%	100%
Multiplexing-Digital, BSE, Multiplexing	100%	100%	100%	100%
MWI - Packet Access, BSE, Customer Alerting	52%	58%	57%	56%
MWI ATR Audible Msg Wtg, CNS, Cust Airting Enablement	52%	58%	57%	56%
Network Reconfiguration, BSE, Network Reconfiguration	100%	100%	100%	100%
Preselect for Data Svcs, CNS, RPOA Preselection	52%	58%	57%	56%
Reverse Chg Accept Pkt, BSE, Reverse Chrg Acceptance	52%	58%	57%	56%
Route Diversity, BSE, Diversity	100%	100%	100%	100%
Secondary Ch Capability, BSE, Secondary Ch Capability	100%	100%	100%	100%
Selective Call Forward'g, CNS, Selective Call Fwding	94%	94%	94%	94%
Selective Call Rejection, CNS, Call Blocker*	94%	94%	94%	94%
Speed Calling, CNS, Speed Calling	94%	94%	94%	94%
Third Numb Bill Inhib, CNS, Billed Number Screening	94%	94%	94%	94%
Warm Line, CNS, Warm Line	44%	44%	44%	44%

EXHIBIT B

1999 AMERITECH RESPONSE TO ONA FEASIBLE/INFEASIBLE ESP REQUESTS STATUS

Ability to Return Held Call to Customer

(Request #42)

ESP Notification of ESP Customer or BOC Control Action

(Request #18)

Mapping ANI to User ID (x.75)

(Request #59)

Remote Access to User Programmable Functions (Packet)

(Request #97)

Remote Speed Call Menu Builder (Packet)

(Request #98)

Speed Call Menu Builder (Packet)

(Request #99)

Remote Speed Call Menu Access Translator (Packet)

(Request #100)

Restriction of Outgoing Calls (Packet)

(Request #118)

B-Channel Switched and Dedicated Access

(Request #50)

D-Channel Data Delivered on B-Channel

(Request #51)

Multiple D-Channels on B-Channel

(Request #52)

ESP Access to D-Channel Signaling

(Request #53)

Monitor and Barge In

(Request #12)

SMDI with Automatic Ring back

(Request #14)

Access to Future Intelligent Functions of ISDN

(Request #57)

1999 AMERITECH RESPONSE TO ONA FEASIBLE/INFEASIBLE ESP REQUESTS STATUS

Enable/Disable Network DTMF Signaling

(Request #91)

Passive In-Band DTMF Tone Translation

(Request #92)

Tone to Digital Translation

(Request #94)

Network Control by Customer from Customer Premises

(Request #102)

Trunk-Side Connection with Power Ringing

(Request #31)

Derived Channels Compatible with ISDN

(Request #70)

Provision for Sharing ESP Customer among ESP

(Request #44)

Peak Traffic Handling within Exchange Network

(Request #62)

Call Forwarding with Call Screening

(Request #7)

1999 PACIFIC BELL RESPONSE TO ONA FEASIBLE/INFEASIBLE ESP REQUESTS STATUS

Calling Directory Number Delivery via BCLID (BSE)

Federal and State waiver effective - California Federal and State waiver effective - Nevada

Call Forwarding with Call Waiting

(Request #8)

Monitor & Barge In

(Request #12)

SMDI with Automatic Ring back

(Request #14)

ESP Notification of ESP's Client

(Request #18)

Suppressed Ringing

(Request #29)

Trunk-Side Connection with Power Ringing

(Request #31)

Single Number Access for Multiple Locations

(Request #40)

Ability to Notify or Interrupt a Customer

(Request #41)

Ability to Return Held Call to Customer

(Request #42)

Provision for Sharing an ESP Client among ESP's

(Request #44)

Customer Service Areas

(Request #45)

B-Channel Switched and Dedicated Access

(Request #50)

D-Channel Data Delivered on B-Channel

(Request #51)

Multiple D-Channels on B-Channel

(Request #52)

ESP Access to D-Channel Signaling

(Request #53)

Feature Node Service Interface (FN/SI)

(Request #54)

Service Control Point (SCP) Databases

(Request #55)

Access to Future Intelligent Functions of ISDN

(Request #57)

Mapping ANI to User ID (x.75)

(Request #59)

Peak Traffic Handling within Exchange Network

(Request #62)

Common Channel Signaling Access

(Request #64)

Dynamic Allocation of Transmission Capacity

(Request #65)

Provision of BOC Network Status Information

(Request #66)

Real Time Access to Exchange Network Testing Facilities

(Request #67)

Derived Channels that Comply with UL and NFPA

(Request #68)

Derived Channels Compatible with ISDN

(Request #70)

Ability to Detect Breaks in Telco Line within 60 Seconds

(Request #74)

Multiple Monitors Per Loop

(Request #80)

Clear Access to Data Portion or Derived Channels

(Request #81)

User Initiated Diagnostics

(Request #85)

Pass Through Diagnostics to User

(Request #86)

Enable/Disable Network DTMF Signaling

(Request #91)

Passive In-Band DTMF Tone Translation

(Request #92)

Extend DTMF Tone Set

(Request #93)

Tone to Digital Translation

(Request #94)

Remote Access to User Programmable Functions (Packet)

(Request #97)

Remote Speed Call Menu Builder (Packet)

(Request #98)

Speed Call Menu Builder (Packet)

(Request #99)

ESP Notification of ESP Customer or BOC Control Action

(Request #18)

Remote Speed Call Menu Access Translator (Packet)

(Request #100)

Carrier Selection on Reverse Charge

(Request #101)

Network Control by Customer from Customer Premises

(Request #102)

Real Time Traffic Usage Data

(Request #103)

Name & Address of the Calling Party

(Request #105)

Suppression of Audible Click On Call Forwarding (Interoffice)

(Request #106)

Privacy (Classes of Non-Published Service)

(Request #108)

User ID As3ochied with Calling Number and/or Service ID, Code

(Request #110)

Programmed Default Call Forwarding

(Request #117)

Restriction of Outgoing Calls (Packet)

(Request #118)

EXHIBIT C

0

EXHIBIT C

AMERITECH

SS7 DEPLOYMENT SCHEDULE

State	1999	2000	2001	2002
Illinois	100	100	100	100
Indiana	100	100	100	100
Michigan	100	100	100	100
Ohio	100	100	100	100
Wisconsin	100	100	100	100
TOTAL AMERITECH	100 %	100%	100%	100%

AMERITECH

ISDN DEPLOYMENT SCHEDULE

LATA	1999	2000	2001	2002
Illinois	82	84	86	88
Indiana	75	77	79	81
Michigan	71	73	75	77
Ohio	99	99	99	99
Wisconsin	92	94	96	98
TOTAL				
AMERITECH	83%	85%	87%	89%

AMERITECH

AIN DEPLOYMENT SCHEDULE

Company	1999	2000	2001	2002
Ameritech	85%	87%	89%	91%

PACIFIC BELL & NEVADA BELL

SS7 DEPLOYMENT SCHEDULE¹

LATA	1999	2000 ²	2001 ³	20024
722 - SF	100	100	100	100
724 - CHICO	100	100	100	100
726 – SACR	100	100	100	100
728 – FRESNO	100	100	100	100
730 – LA	100	100	100	100
732 – SD	100	100	100	100
734 – BAKERSF	100	100	100	100
736 – MONTEREY	100	100	100	100
738 – STOCKT	100	100	100	100
740 – SLO	100	100	100	100
TOTAL				
PACIFIC BELL	100 %	100%	100%	100%
TOTAL NEVADA BELL	100%	100%	100%	100%

 $^{^{1}}$ TR – 317 and TR-394 are being deployed on the same schedule.

² 2000-2002 numbers are planning numbers based on our dial with dial schedule; they will be finalized at the beginning of respective years.

³ See Footnote 2 above.

⁴ See Footnote 2 above.